


DDD Designs Ombre Bars

 $www. \textcolor{red}{\textbf{dd}} \textcolor{blue}{\textbf{designs.com}}$

Quilt pattern designed by Dennis Day



FABRIC REQUIREMENTS

Background Yardage = 6¾ yards Bar Yardage = 1¾ yards Shadow Yardage = ¼ yard

Makes a quilt measuring 96" x 102"

SECTION ONE: CUTTING THE FABRIC

Step 1: From your background fabric cut three strips 81" wide along the WOF (Width of Fabric)



Fig 2A

Step 2: Subcut each 81" wide strip of background fabric into sixteen 2½" strips along the LOF (Length of Fabric) starting with the darkest end of the gradient. See Fig 2B.




Fig 2B

Step 3: Arrange all 48 background strips in order from darkest to lightest. Stack with the darkest shades on bottom and set aside. See Fig 2C.






Fig 2C

Step 4: Cut three strips $2\frac{1}{2}$ " wide along the WOF from your shadow fabric discarding the remaining fabric. See Fig 3A.



Step 5: Subcut each shadow strip into sixteen 21/2" squares to make a total of 48 squares. See Fig 3B.



Step 6: Cut three strips 201/2" wide along the WOF from your Bar fabric. See Fig 4A.




Fig 4A

Step 7: Subcut each $20\frac{1}{2}$ " wide strip of bar fabric into sixteen $2\frac{1}{2}$ " strips along the LOF starting with the darkest end of the gradient. See Fig 4B.




Fig 4B

Step 8: Arrange all 48 bar strips in order from darkest to lightest. Stack with the darkest shades on bottom and set aside. See Fig 4C.



Fig 4C

SECTION TWO: COLUMN ASSEMBLY

Step 1: Make sure your bar fabrics are stacked from dark to light with the dark shades on top. Make sure your background fabrics are stacked from light to dark with the light shades on top. Working from the top of each stack, pair a background fabric with a bar fabric and a shadow fabric. See Fig 5A.




Fig 5A

Step 2: Sew these together in columns. See Fig 5B.




Fig 5E

Step 3: Using the illustration and chart below, cut the specified lengths from the background fabric portion of the strips and attach them to the other end of the strip assembly. See Fig 6A and 6B.





Fig 6A


Strip #	Length to cut	Strip #	Length to cut	Strip#	Length to cut	Strip #	Length to cut	Strip#	Length to cut
1	28	11	26	21	22	31	22	41	32
2	24	12	30	22	26	32	30	42	28
3	26	13	22	23	22	33	26	43	30
4	30	14	28	24	24	34	30	44	26
5	24	15	32	25	30	35	24	45	32
6	22	16	30	26	26	36	22	46	22
7	28	17	24	27	24	37	28	47	28
8	32	18	22	28	32	38	32	48	30
9	24	19	26	29	24	39	26		
10	28	20	32	30	32	40	28		

Fig 6B

Step 4: Once all of the strips are completed, they should look like this. See Fig 7A.



Step 5: Starting from the middle, sew from top to bottom on the illustration. Then sew from bottom to top to add the next column. Alternating the sewing direction like this makes your quilt top lay flat. See Fig 7B.



Step 6: Complete your quilt top by sewing all of the pieces together. See Fig 8A.





Fig 8A

Step 7: Back and bind your quilt to complete.

Backing with 44" fabric:You will need 8¾ yards of 44" fabric cut into 3 strips measuring 104 inches each or 9¼ yards of 44" fabric cut into 3 strips measuring 110 inches each. See Fig 8B.



Backing with 108" fabric: You will need 3 yards of 108" fabric cut into one strip measuring 106". See Fig 9A.




Fig 9A

Ombre Bars™ ©2018, DDD Designs. All Rights Reserved. Reproduction in whole or in part in any language without permission of DDD Designs is prohibited. No one may copy, reprint or distribute any of this pattern for commercial use without written permission of the publisher, DDD Designs. Templates and patterns may be printed as necessary to make quilts for personal use only. Quilts made from any element of a DDD Designs pattern may be publicly displayed at quilt shows or donated to charity with or without giving credit to DDD Designs or the author. Enjoy the pattern. You purchased it.